

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: 6609 Osmo Wood Reviver - Power Gel

Article number: 6609

1.2 Relevant identified uses of the substance or mixture and uses advised against

advised against No further relevant information available.

Application of the substance / the mixture

Surface cleanser
Surface active agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG
Affhüppen Esch 12
D-48231 Warendorf

Further information obtainable from:

Product safety department
Phone: +49 (0) 251 / 692 - 188
Fax: +49 (0) 251 / 692 - 462
e-mail: helmut.starp@osmo.de

1.4 Emergency telephone number:

emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation

(EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements Although this product is not subject to identification regulations, we recommend that the safety suggestions are observed.

Keep out of reach of children.

If medical advice is needed, have product container or label at hand.

P262 Do not get in eyes, on skin, or on clothing.

Additional information: Observe the general safety regulations when handling chemicals.

Protect metals (e.g. metal fittings) and plants from direct contact (cover up plants with protective foil).

Safety data sheet available on request.

2.3 Other hazards

Not applicable.

Material Safety Data Sheets
 according to 1907/2006/EC, Article 31

Printing date 23.05.2018

Version number 4

Revision: 14.05.2018

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 1)

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

| | | | |
|----------------------------|-------------|--|---------|
| CAS: 144-62-7 | oxalic acid | ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312 | 2.5-10% |
| EINECS: 205-634-3 | | | |
| Index number: 607-006-00-8 | | | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required.
After inhalation: Supply fresh air; consult doctor in case of complaints.
After skin contact: Immediately wash with water and soap and rinse thoroughly.
After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 2)

- 6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections** No dangerous substances are released.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling** Keep receptacles tightly sealed.
When diluting always pour product into water and not vice versa.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage:

- Requirements to be met by storerooms and receptacles:** Unsuitable material for receptacle: aluminium.
Unsuitable material for receptacle: steel.
Store only in the original receptacle.

Information about storage in one common storage facility: Store away from oxidising agents.
Store away from reducing agents.

- Further information about storage conditions:** None.
- 7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

144-62-7 oxalic acid

| | |
|-----|---|
| WEL | Long-term value: 0.1 mg/m ³ as Co; Carc |
|-----|---|

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:
General protective and hygienic measures:

- Do not eat or drink while working.
Do not carry product impregnated cleaning cloths in trouser pockets.
Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 4)

Material Safety Data Sheets
 according to 1907/2006/EC, Article 31

Printing date 23.05.2018

Version number 4

Revision: 14.05.2018

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 3)

| | |
|---|--|
| Protection of hands: | Check protective gloves prior to each use for their proper condition. Preventive skin protection by use of skin-protecting agents is recommended. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation |
| Material of gloves | The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. |
| Penetration time of glove material | The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. |
| For the permanent contact gloves made of the following materials are suitable: | Nitrile rubber, NBR |
| As protection from splashes gloves made of the following materials are suitable: | Nitrile rubber, NBR |
| Eye protection: | Goggles recommended during refilling |
| Body protection: | Acid resistant protective clothing |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

| | |
|----------------|-------------|
| Form: | Pasty |
| Colour: | Light green |
| Odour: | Mild |

Change in condition

| | |
|---|---------------|
| Melting point/freezing point: | Undetermined. |
| Initial boiling point and boiling range: | 100 °C |

Flash point: Not applicable.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Vapour pressure at 20 °C: 23 hPa

Density at 20 °C: 1.09 g/cm³

(Contd. on page 5)

Material Safety Data Sheets
 according to 1907/2006/EC, Article 31

Printing date 23.05.2018

Version number 4

Revision: 14.05.2018

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 4)

| | |
|--|--|
| Solubility in / Miscibility with water: | Not miscible or difficult to mix. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| VOC (EC) | Not applicable. |
| 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

| | |
|--|---|
| 10.1 Reactivity | No further relevant information available. |
| 10.2 Chemical stability | |
| Thermal decomposition / conditions to be avoided: | No decomposition if used according to specifications. |
| 10.3 Possibility of hazardous reactions | No dangerous reactions known. |
| 10.4 Conditions to avoid | No further relevant information available. |
| 10.5 Incompatible materials: | No further relevant information available. |
| 10.6 Hazardous decomposition products: | No dangerous decomposition products known. |

SECTION 11: Toxicological information

| | |
|--|---|
| 11.1 Information on toxicological effects | |
| Acute toxicity | Based on available data, the classification criteria are not met. |

LD/LC50 values relevant for classification:

144-62-7 oxalic acid

| | | |
|------|------|-----------------|
| Oral | LD50 | 375 mg/kg (rat) |
|------|------|-----------------|

Primary irritant effect:

| | |
|--|---|
| Skin corrosion/irritation | not tested |
| Serious eye damage/irritation | Based on available data, the classification criteria are not met. |
| Respiratory or skin sensitisation | Based on available data, the classification criteria are not met. |
| CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |
| Reproductive toxicity | Based on available data, the classification criteria are not met. |
| STOT-single exposure | Based on available data, the classification criteria are not met. |
| STOT-repeated exposure | Based on available data, the classification criteria are not met. |

(Contd. on page 6)

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 5)

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity**Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**Recommendation** Smaller quantities can be disposed of with household waste.**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number**ADR, ADN, IMDG, IATA** Void**14.2 UN proper shipping name****ADR** Void**ADN, IMDG, IATA** Void**14.3 Transport hazard class(es)****ADR, ADN, IMDG, IATA****Class** Void**14.4 Packing group****ADR, IMDG, IATA** Void

(Contd. on page 7)

Material Safety Data Sheets
 according to 1907/2006/EC, Article 31

Printing date 23.05.2018

Version number 4

Revision: 14.05.2018

Trade name: 6609 Osmo Wood Reviver - Power Gel

(Contd. of page 6)

| | |
|--|-----------------|
| 14.5 Environmental hazards: | |
| Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| UN "Model Regulation": | Void |

SECTION 15: Regulatory information

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

| | |
|------------------------------------|--|
| Relevant phrases | H302 Harmful if swallowed. H312 Harmful in contact with skin. |
| Department issuing SDS: | product safety department |
| Contact: | Hr. Dr. Starp |
| Abbreviations and acronyms: | ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 |